EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	324/545.ccls. and ((test$3 near3 (core $1)) and infrared)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 16:03
S2	0	"0484359"	EPO	OR	OFF	2007/12/20 11:19
S3	0	"484359"	EPO	OR	OFF	2007/12/20 11:19
S4	0	ep0484359	EPO	OR	OFF	2007/12/20 11:20
S5	7	"3925047"	DERWENT	OR	OFF	2007/12/20 11:21
S6	3	"484359"	FPRS; EPO; DERWENT	OR	OFF	2007/12/20 12:10
S7	6	324/545.ccls.	FPRS; EPO; DERWENT	OR	OFF	2007/12/20 12:11
S8	300	324/545.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:11
S9	29	324/545.ccls. and (frequency same (Hz hertz)) and (voltag$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:24
S10	9	324/545.ccls. and (frequency same (Hz hertz)) and (voltag$4 same (volts V "400"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:03
S11	26898	"324"/$.ccls. and (detect$4 test$4 evaluat$4 determin$4 sens$4 near3 core) and (voltage same (V volt$1 "400"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:05

S12	1084	"324"/$.ccls. and ((detect$4 test$4 evaluat$4 determin$4 sens$4) near3 core) and (voltage same (V volt$1 "400"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:08
S13	220	S12 and (frequency same (Hz hertz))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:06
S14	72	"324"/$.ccls. and ((detect$4 test$4 evaluat$4 determin$4 sens$4) near3 core) and ("400" with (volts voltage$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:09
S15	22	"324"/$.ccls. and ((detect$4 test$4 evaluat$4 determin$4 sens$4) near3 core) and ("400" near2 (volts voltage$1 V))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 17:10
S16	6	324/545.ccls. and (frequency same (Hz hertz)) and (voltag$4) and (laminated near2 core$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:01
S17	6	324/545.ccls. and (frequency same (Hz hertz)) and (voltag$4) and (laminat$3 near2 core$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:02
S18	5	("4628261" | "4897607" | "4996486" | "5321362" | "5895439").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/28 10:37
S19	3	("4573012" | "4803563" | "4823082").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/28 10:40
S20	3	("4573012").URPN.	USPAT	OR	OFF	2007/12/28 11:01
S21	19	("4996486").URPN.	USPAT	OR	OFF	2007/12/28 11:13

S22	1	(S17 or S18 or S19 or S20 or S21) and (frequency near3 conver$5)	USPAT	OR	OFF	2007/12/28 11:18
S23	9	324/545.ccls. and (frequency near3 conver$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 11:16
S24	4	(S17 or S18 or S19 or S20 or S21) and (frequenc$4 near3 (conver$5 increas$3 higher))	USPAT	OR	OFF	2007/12/28 11:19
S25	2	324/239-241.ccls. and (frequency same (Hz hertz)) and (voltag$4) and (laminated near2 core$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:01
S26	3	("4573012").URPN.	USPAT	OR	OFF	2007/12/28 13:01
S27	27	324/239-241.ccls. and (laminat$3 near2 core $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:31
S28	300	324/545.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:44
S29	95	324/545.ccls. and core $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/28 13:44
S30	1	"20030210059"	US-PGPUB; USPAT	OR	OFF	2008/01/02 12:51
S31	4	("6815957" "4573012" "4996486" "7042229"). pn.	USPAT	OR	OFF	2008/01/02 12:52

S32	1	324/545,239-241.ccls. and ((frequency near3 conver$4) same ((thermal near3 (respons$3 reaction adjust$4 increas$4 decreas$3)) or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 13:27
S33	10	("5032826").URPN.	USPAT	OR	OFF	2008/06/25 13:30
S34	14	("2951166" | "3188620" | "3831160" | "4097794" | "4122388" | "4147982" | "4156846" | "4230961" | "4377784" | "4446426" | "4492999" | "4502046").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/25 13:34
S35	2	324/545.ccls. and "374"/$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/06/25 13:38
S36	1	(laminat$4 near3 core $1) and ((frequency near3 conver$4) same ((thermal near3 (respons$3 reaction adjust$4 increas$4 decreas$3)) or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 13:40
S37	3	(generat$4 near3 core $1) and ((frequency near3 conver$4) same ((thermal near3 (respons$3 reaction adjust$4 increas$4 decreas$3)) or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 13:42
S38	85	((frequency near3 conver$4) same ((thermal near3 (respons$3 reaction adjust$4 increas$4 decreas$3)) or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 13:45

S39	1	324/545,239-241.ccls. and (frequency near3 convert$4) and (laminat$3 near3 core $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 13:54
S40	17	"324"/$.ccls. and (frequency near3 convert$4) and (laminat$3 near3 core $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:03
S41	2	(core$1 with generat $4) and (frequency near3 conver$4) and ((field near3 winding) with (thermal or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:14
S42	3	(core$1 with generat $4) and (frequency near3 conver$4) and ((field near3 winding) same (thermal or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:16
S43	57	(core$1 with generat $4) and (frequency near3 conver$4) and ((winding) same (thermal or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:16
S44	1	(core$1 with generat $4) and ((frequency near3 conver$4) same ((winding) same (thermal or (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:17
S45	42	(core$1 with generat $4) and ((frequency near3 conver$4) same (thermal or (hot near3 spot$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:18
S46	7	(laminat$4 near3 core $2) and ((frequency near3 conver$4) same (thermal or (hot near3 spot$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 14:21

S47	0	(laminat$4 near3 core $2).clm. and (frequency near3 conver$4).clm. and (hot near3 spot).clm.	US-PGPUB	OR	OFF	2008/06/25 15:52
S48	0	(laminat$4 near3 core $2).clm. and (frequency near3 conver$4).clm. and (thermal).clm.	US-PGPUB	OR	OFF	2008/06/25 15:53
S49	0	(laminat$4 near3 core $2).clm. and (frequency near3 conver$4).clm. and (thermal$4).clm.	US-PGPUB	OR	OFF	2008/06/25 15:53
S50	1	(laminat$4 near3 core $2).clm. and (frequency near3 conver$4).clm. and (field near3 winding).clm.	US-PGPUB	OR	OFF	2008/06/25 15:53
S51	3	(frequency near3 conver$4).clm. and (field near3 winding).clm. and (stator).clm. and (generator).clm.	US-PGPUB	OR	OFF	2008/06/25 16:10
S52	1	(frequency near3 conver$4) and (field near3 winding) and (stator$1 with generator$1).clm. and (infrared with ((hot near3 spot$1) (hot-spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:12
S53	1	(frequency near3 conver$4) and (field near3 winding) and (stator$1 with generator$1) and (infrared with ((hot near3 spot$1) (hot-spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 16:12
S54	8	((fundamental near3 frequenc$4) with (frequenc$4 near3 (convers$3 convert $3)) same (thermal temperature 'hot spot $1')) and (motor (laminated near3 core $1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 16:46

S55	33	"318"/$.ccls. and ((fundamental near3 frequenc$4) with (frequenc$4 near3 (convers$3 convert $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 16:56
S56	0	"318"/634,641.ccls. and ((frequenc$4 near3 (convers$3 convert$3)) same ((high near3 temperature)(hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 16:59
S57	4	"318"/$.ccls. and ((frequenc$4 near3 (convers$3 convert $3)) same ((high near3 temperature) (hot near3 spot$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:00
S58	2	"318"/634,641.ccls. and (((high near3 temperature)(hot near3 spot$1)) same (frequenc$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:04
S59	58	"318"/634,641.ccls. and ((high near3 temperature)(hot near3 spot$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:05
S60	35	"318"/$.ccls. and (((high near3 temperature)(hot near3 spot$1)) with (frequenc$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:06
S61	3	"318"/$.ccls. and ((((high near3 temperature)(hot near3 spot$1)) near3 (motor$1 'laminated core$1')) with (frequenc$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:10
S62	59	((((high near3 temperature)(hot near3 spot$1)) near3 (motor$1 'laminated core$1')) with (frequenc$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:11

S63	6940	((motor$1) or (laminated near3 core $1)) and (hot adj spot $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:14
S64	1215	((motor$1) or (laminated near3 core $1)) same (hot adj spot $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:14
S65	1	S64 and ((fundamental near3 frequenc$4) with (frequenc$4 near3 (convers$3 convert$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:15
S66	5	S64 and ((frequenc$4 near3 (convers$3 convert$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/01 17:15

7/2/08 11:34:33 AM
C:\ Documents and Settings\ jnatalini\ My Documents\ EAST\ Workspaces\ 10549247.wsp